



Significant intercepts from Whistler Zone

All intercepts were calculated using a minimum 10-metre width and 20-metre maximum internal dilution. Intercepts are calculated using separate cut-offs of 0.1 g/t gold, 0.3 g/t gold and 1.0 g/t gold. Assayed samples consisted of half-core with 2 to 3-metre average intervals.

All assays were prepared at the Alaska Assay Laboratory in Fairbanks, and then sent to ALS Chemex in Vancouver, B.C. for Au-Fire Assay (Au-AA23) and multi-element analysis (ME-ICP41a). Field standards and blanks are inserted in the sample stream to monitor laboratory performance.

Hole ID	Cutoff based on gold g/t (minimum 10-metre width and max 20-metre internal)	From (metres)	To (metres)	Width (metres)	Gold (g/t)	Copper (%)	Silver (g/t)
04-DD-WH-01	0.1	2.55	105.75	103.20	1.21	0.25	2.36
	0.1	129.75	523.93	394.18	0.98	0.20	2.61
Including	1	159.75	169.75	10.00	1.62	0.25	1.26
Including	1	230.75	464.30	233.55	1.34	0.25	3.36
04-DD-WH-02	0.1	50.90	493.00	442.10	0.61	0.17	1.80
Including	0.3	87.78	186.70	98.92	0.39	0.16	1.38
Including	0.3	206.72	487.00	280.28	0.79	0.19	1.95
Including	1	237.26	455.00	217.74	0.93	0.17	1.99
04-DD-WH-03	0.1	47.35	86.43	39.08	0.22	0.20	3.67
04-DD-WH-04	0.1	4.67	214.50	209.83	0.33	0.18	2.47
Including	0.3	8.67	118.40	109.73	0.50	0.19	3.33
Including	1	38.22	55.00	16.78	0.98	0.27	4.81
Including	0.3	198.30	209.39	11.09	0.29	0.19	0.87
04-DD-WH-05	0.1	22.32	309.00	286.68	1.18	0.29	3.73
Including	0.3	72.90	304.84	231.94	1.43	0.32	4.20
Including	1	85.42	251.65	166.23	1.83	0.41	4.96
05-DD-WH-06-A	0.1	71.32	111.23	39.91	0.09	0.09	1.40
	0.1	113.23	188.70	75.47	0.22	0.12	0.94
Including	0.3	161.25	188.70	27.45	0.41	0.19	1.16
	0.1	188.95	489.00	300.05	0.41	0.14	2.58
Including	0.3	190.00	404.89	214.89	0.50	0.16	3.18
Including	1	199.32	267.84	68.52	0.66	0.20	4.05
Including	1	294.66	319.14	24.48	0.69	0.21	2.44
Including	0.3	464.92	475.00	10.08	0.34	0.15	1.00
	0.1	519.00	571.81	52.81	0.08	0.09	0.99
05-DD-WH-07	0.1	272.00	563.00	291.00	0.32	0.11	1.18
Including	0.3	321.00	487.80	166.80	0.42	0.13	1.33
Including	0.3	533.00	561.00	28.00	0.37	0.09	1.25
	0.1	608.00	746.10	138.10	0.36	0.12	1.64
Including	0.3	612.00	675.53	63.53	0.44	0.11	1.59

Hole ID	Cutoff based on gold g/t (minimum 10-metre width and max 20-metre internal	From (metres)	To (metres)	Width (metres)	Gold (g/t)	Copper (%)	Silver (g/t)
Including	0.3	697.00	744.10	47.10	0.34	0.17	1.97
05-DD-WH-08	0.1	4.74	83.63	78.89	0.53	0.36	2.10
Including	0.3	22.74	83.63	60.89	0.66	0.44	2.49
Including	1	50.50	79.90	29.40	0.89	0.55	2.51
	0.1	83.90	99.45	15.55	0.62	0.37	2.80
	0.1	199.88	213.12	13.24	0.13	0.22	1.45
05-DD-WH-09	0.1	234.74	526.00	291.26	0.67	0.18	1.89
Including	0.3	259.70	514.00	254.30	0.75	0.19	1.95
Including	1	326.44	446.75	120.31	1.10	0.23	2.32
Including	1	470.00	484.00	14.00	1.49	0.20	2.36
05-DD-WH-10	0.1	277.00	388.00	111.00	0.20	0.12	0.95
Including	0.3	281.00	321.50	40.50	0.35	0.19	0.97
05-DD-WH-11	0.1	42.21	57.80	15.59	0.05	0.05	8.34
	0.1	169.00	197.00	28.00	0.08	0.10	1.18
	0.1	459.00	482.00	23.00	0.09	0.17	4.08
05-DD-WH-12	0.1	26.00	77.20	51.20	0.11	0.18	0.89
	0.1	77.45	469.80	392.35	0.89	0.25	2.45
Including	1	94.00	177.00	83.00	1.40	0.41	2.53
Including	1	214.00	282.94	68.94	1.20	0.30	3.06
Including	1	371.00	437.93	66.93	1.31	0.23	2.59
	0.1	470.19	622.00	151.81	0.35	0.15	1.97
Including	0.3	470.19	548.00	77.81	0.57	0.15	2.25
Including	1	484.00	530.00	46.00	0.67	0.16	2.65
06-DD-WH-15	0.1	10.97	84.00	73.03	0.13	0.13	1.45
	0.1	132.89	459.00	326.11	0.34	0.19	3.18
Including	0.3	134.24	186.17	51.93	0.60	0.38	3.12
Including	0.3	285.67	457.00	171.33	0.39	0.18	4.26
Including	1	417.00	441.00	24.00	0.70	0.25	0.96
	0.1	487.25	700.00	212.75	0.35	0.07	1.46
Including	0.3	495.23	600.00	104.77	0.61	0.12	1.84
Including	1	568.00	598.00	30.00	1.24	0.19	2.45
WH_07_01	0.1	6.00	113.38	107.38	0.38	0.19	1.18
Including	0.3	39.00	113.38	74.38	0.47	0.21	0.98
Including	1	88.00	113.38	25.38	0.81	0.25	1.26
	0.1	177.00	308.15	131.15	0.86	0.25	2.61
Including	1	182.00	217.00	35.00	1.30	0.44	3.67
Including	1	289.00	308.15	19.15	1.91	0.39	3.05
WH_07_02	0.1	123.00	588.28	465.28	0.49	0.15	1.06
Including	0.3	132.00	367.00	235.00	0.45	0.12	0.68
Including	0.3	399.00	501.00	102.00	0.98	0.26	1.35
Including	1	401.00	444.00	43.00	1.70	0.42	2.15
Including	1	466.00	480.00	14.00	0.76	0.22	1.14
WH_07_03	0.1	296.00	675.44	379.44	0.36	0.11	0.74

Hole ID	Cutoff based on gold g/t (minimum 10-metre width and max 20-metre internal	From (metres)	To (metres)	Width (metres)	Gold (g/t)	Copper (%)	Silver (g/t)
WH_07_04	0.1	7.00	279.00	272.00	0.58	0.25	1.85
Including	0.3	20.30	259.00	238.70	0.64	0.27	1.97
Including	1	41.00	105.00	64.00	1.08	0.40	3.05
Including	1	183.00	193.00	10.00	1.13	0.30	2.00
WH_07_05	0.1	3.04	53.00	49.96	0.16	0.11	1.14
Including	0.3	100.00	280.00	180.00	0.84	0.16	2.48
Including	1	184.00	238.00	54.00	1.52	0.16	3.52
Including	1	261.00	274.00	13.00	0.99	0.15	1.32
WH_07_05	0.1	304.00	327.00	23.00	0.20	0.04	1.97
WH_07_06	0.1	274.00	536.00	262.00	0.60	0.17	1.96
Including	1	351.00	492.00	141.00	0.84	0.17	2.17
WH_07_07	0.1	23.00	335.00	312.00	0.31	0.19	1.61
Including	0.3	43.00	58.50	15.50	0.53	0.55	2.13
Including	0.3	121.00	283.00	162.00	0.45	0.21	1.70
Including	1	207.00	231.00	24.00	0.77	0.27	2.83
Including	0.3	305.00	333.00	28.00	0.17	0.12	1.36
WH-01	0.1	1.68	104.88	103.20	0.53	0.23	2.18
WH-02	0.1	36.80	63.72	26.92	0.07	0.03	1.94
WH-03	0.1	16.16	172.56	156.40	0.41	0.15	5.40
Including	0.3	87.20	172.56	85.36	0.66	0.21	4.36
Including	1	152.13	172.56	20.43	1.19	0.29	3.21
WH-04	0.1	15.85	106.71	90.86	1.16	0.22	2.86
Including	0.3	15.85	65.24	49.39	1.44	0.30	3.10
Including	0.3	85.52	106.71	21.19	1.45	0.19	2.45
WH-05	0.1	75.91	92.07	16.16	0.22	0.08	4.44
WH-06	0.1	5.49	91.46	85.97	0.43	0.17	3.14
Including	0.3	33.54	90.09	56.55	0.56	0.20	0.82
Including	1	39.63	51.22	11.59	1.79	0.42	1.74
WH-07	0.1	9.15	93.14	83.99	0.43	0.25	2.52
WH-08	0.1	9.15	93.29	84.14	0.29	0.24	1.82
Including	0.3	48.78	93.29	44.51	0.40	0.24	2.45
WH-09	0.1	3.66	93.90	90.24	0.39	0.17	3.00
Including	0.3	3.66	21.19	17.53	0.58	0.32	8.56
Including	0.3	48.17	93.90	45.73	0.46	0.18	1.07
WH-10	0.1	78.35	91.46	13.11	0.12	0.08	0.54
WH-11	0.1	7.93	82.32	74.39	0.13	0.15	2.85

Hole ID	Cutoff based on gold g/t (minimum 10-metre width and max 20-metre internal	From (metres)	To (metres)	Width (metres)	Gold (g/t)	Copper (%)	Silver (g/t)
WH-15	0.1	69.51	124.09	54.58	0.12	0.13	0.50
WH-16	0.1	77.74	132.01	54.27	1.06	0.19	1.48
Including	0.3	89.94	126.52	36.58	1.52	0.23	1.79
Including	1	96.04	111.28	15.24	2.86	0.33	2.70